

csWebPanel

Version 0.4.0

User guide

From the live panel on 18 August 2026.

Screenshots are the real UI — nothing here is invented.

the panel on port 8083 (never 2083)

Contents

About this guide	3
Dashboard	3
Web domains	4
Mail	7
DNS	9
Databases	11
File manager	13
FTP	16
Notifications	19
Backups	21
Profile and account menu	26
Quick reference	28

About this guide

This is the user book for csWebPanel v0.4.0. The screens are a real user workspace, captured on 18 August 2026. This account is an active internal user — the profile states an internal account cannot sign in and is opened with Access as user. That is why a blue banner shows that an administrator is viewing the account and why Return to admin is present. A user who signed in as themselves does not see that banner or that button.

Open the panel on port 8083 (never 2083). Webmail is the green Webmail control in the header.

What you will not see


Your sidebar is only Dashboard, Web, Mail, DNS, Databases, File Manager, FTP, Notifications, Backups. Packages, Users, Server, Firewall, Logs and Settings are hidden. Those URLs send you back to the dashboard. The account menu is Profile and Sign out only.

FTP and the panel port

FTP is Plain FTP on port 21 (not SFTP, not implicit FTPS), your FTP host / port 21 / prefix youruser_, passive 30000–40000. The panel itself is port 8083 only.

Dashboard

After you land, the dashboard shows a USER badge next to the account name and the host line with PHP 8.4.24 · v0.4.0. Tiles on this account: Web domains 2, DNS zones 2, Mail domains 2, Mail accounts 0, Databases 0. Server resource bars are informational (disk / memory / CPU on the box). A green flash appears during impersonation.



Dashboard

Web domains

Web lists your sites. This account has 2 domains, both on this server's address, backend PHP-8_5, status active: one with SSL Yes and one with SSL No. Columns: DOMAIN, IP, BACKEND, SSL, STATUS. + Add domain is available to you.

csWebPanel v0.4.0

View [redacted] you can manage this account's resources.

[Return to admin](#)

[Renew SSL](#) [Webmail](#) [Settings](#) [Global](#) [Notifications](#)

Web domains [+ Add domain](#)

Domains 2 domains

Show entries Search:


DOMAIN	IP	BACKEND	SSL	STATUS
[redacted]	[redacted]	PHP-8_5	Yes	active
[redacted]	[redacted]	PHP-8_5	No	active

Showing 1 to 2 of 2 entries [Previous](#) [1](#) [Next](#)

Copyright © 2026 CodeSharper | Solutions

Web domains

Add domain: name, PHP version (pre-selected PHP-8_5 from this account default; you can override per domain), www redirect default Plain → www, optional Issue Let's Encrypt SSL now (A record must already point here). Create submits.



Add domain

Opening a domain shows PHP PHP-8_5, status active, SSL Yes, and shortcuts Open site, DNS, Mail, FTP. You can change the PHP backend, status, www redirect (this domain is set www → plain), tick SSL issue/renew on save and Force HTTPS, then Save. Docroot on the info card: web/your-domain/public_html. Delete domain warns that site files and mail data are removed and it is not reversible.

The screenshot displays the csWebPanel v0.4.0 interface. The sidebar on the left contains navigation links: Dashboard, Web (selected), Mail, DNS, Databases, File Manager, FTP, Notifications, and Backups. The main content area shows the 'Web' domain settings for 'PHP-8_5'. The status is 'active'. The www redirect is set to 'plain'. The SSL (issue / renew Let's Encrypt on save) and Force HTTPS options are checked. A 'Save' button is at the bottom of the settings panel. On the right, a 'Quick actions' panel contains a 'Delete domain' button with a warning: 'Deletes site files and mail data — not reversible.' Below this, the IP address and domain name are displayed. The footer shows 'Copyright © 2026 CodeSharper | Solutions'.

Web · domain detail

Mail

Mail domains lists the two domains, 0 accounts each, webmail snappymail, DKIM On, status active. There is no Add mail domain control for a user — mail domains appear with web domains. Use the per-row Accounts action to open mailboxes.

csWebPanel v0.4.0

View [redacted] you can manage this account's resources.

[Return to admin](#)

[Renew SSL](#) [Webmail](#) [Settings](#) [Global](#) [Notifications](#)

Mail domains

Domains 2 domains

Show 25 entries Search:

DOMAIN	ACCOUNTS	WEBMAIL	DKIM	STATUS
[redacted]	0	snappymail	On	active
[redacted]	0	snappymail	On	active


Showing 1 to 2 of 2 entries

[Previous](#) [1](#) [Next](#)

Copyright © 2026 CodeSharper | Solutions

Mail domains


Accounts on a domain is empty: No accounts yet. Create the first mailbox. + Add account is on this page. Connection facts printed here: IMAP mail.<your-domain> port 993 SSL/TLS; SMTP mail.<your-domain> port 465 SSL/TLS. Open webmail from the header.



Mail accounts · a domain


DNS

DNS zones lists 2 zones on this server’s address: the same two site names, 18 records each, serial 2026081701, status active. There is no add-zone control for a user. Open a row to read records.



DNS zones


Records for a site zone (18): A records for @, mail, mta-sts, ns1, ns2, webmail, www → this server; CNAMEs for autoconfig, autodiscover, ftp; MX to mail.<your-domain>; TXT for SPF, DMARC, MTA-STS, TLS-RPT, DKIM; NS to ns1/ns2. Use ← Zones to return.



DNS · site zone


Databases

Databases is empty: 0 databases, No databases yet. phpMyAdmin and + Add database are on the page.



Databases

Add database uses the prefix `youruser_` for both the DB name suffix and the first DB user suffix (placeholder `app`). The user is created with ALL privileges on that database. External MySQL access is off by default — leave it unchecked for localhost-only. Create submits.



Add database

File manager

File manager opens as youruser · web. The badge is Read-only here. You cannot create folders or files, or upload, in /web (place root). Open a site folder — web/your-domain/public_html — to upload. Existing files inside site folders can still be edited. Places: Web only on this capture (Access: web).

The screenshot shows the csWebPanel interface. On the left is a sidebar with navigation links: Dashboard, Web, Mail, DNS, Databases, File Manager (highlighted), FTP, Notifications, and Backups. The main area is titled 'File manager' and shows the path 'web'. A blue notification box states: 'Cannot create folders/files or upload in /web (place root). Open a site folder (e.g. web/your-domain/public_html) to create or upload. Existing files inside site folders can still be edited.' Below this, a table lists files in the 'web' directory:

NAME	PERMS	MODIFIED	ACTIONS
..			
[Folder Icon]	0755	2026-08-17 00:19	
[Folder Icon]	0755	2026-08-17 20:41	

At the bottom of the sidebar, it says '2 items' and 'Access: web'. The footer of the interface reads 'Copyright © 2026 CodeSharper | Solutions'.

File manager · youruser · web

Same place-root view, captured again:

csWebPanel v0.4.0

View [redacted] you can manage this account's resources.

Return to [redacted]

Renew SSL Webmail [Settings] [Globe] [Notifications]

File manager

[redacted] · web Read-only here

Cannot create folders/files or upload in /web (place root). Open a site folder (e.g. web/your-domain/public_html) to create or upload. Existing files inside site folders can still be edited.

Account [redacted]

PLACES

- Web


2 items
Access: web

NAME	PERMS	MODIFIED	ACTIONS
..			
[Folder]	0755	2026-08-17 00:19	
[Folder]	0755	2026-08-17 20:41	

Copyright © 2026 CodeSharper | Solutions

File manager · youruser · web

Inside a site folder the read-only badge is gone. Folder, File and Upload appear. This is the level you work in (then open public_html for the document root). Do not upload at the place root.



File manager · web/your-domain

FTP

The FTP page prints: your FTP host, port 21, Plain FTP (not SFTP, not implicit FTPS), login youruser_ + suffix, passive mode. Passive ports: 30000–40000.

Scopes on this account: 3 — Account (main FTP) (full home, all domains & files) with 1 account; and two domain scopes (domain public_html only) with 0. Those two scopes are the only domain jails. Use Accounts on a row, or All accounts / + Add account at the top.

The screenshot shows the csWebPanel interface with a sidebar on the left containing navigation links: Dashboard, Web, Mail, DNS, Databases, File Manager, FTP (highlighted), Notifications, and Backups. The main content area is titled 'FTP' and includes a 'Return to' button, 'Renew SSL', 'Webmail', and a notification bell. Below this, there's a summary card for the FTP account showing Host, Port (21), Encryption (Plain FTP), and Login details. A 'Scopes' section shows 3 scopes with a search bar and a table of scopes. The table has columns for SCOPE, FTP ACCOUNTS, and ACTIONS. The first row is 'Account (main FTP)' with 1 account. The next two rows are 'Domain public_html only' with 0 accounts each. A pagination bar at the bottom shows 'Showing 1 to 3 of 3 entries' and navigation buttons.

csWebPanel v0.4.0

View [redacted] you can manage this account's resources.

Return to [redacted]

Renew SSL Webmail [Settings] [Globe] [Notifications]

FTP

All accounts + Add account

Host	Port	Encryption	Login
[redacted]	21	Plain FTP (not SFTP, not implicit FTPS).	[redacted] + suffix · passive mode

Scopes

3 scopes

Show 25 entries Search: [redacted]


SCOPE	FTP ACCOUNTS	ACTIONS
Account (main FTP) Full home — all domains & files	1	Accounts
[redacted] Domain public_html only	0	Accounts
[redacted] Domain public_html only	0	Accounts

Showing 1 to 3 of 3 entries Previous 1 Next

Copyright © 2026 CodeSharper | Solutions


FTP

Add FTP account: suffix after youruser_, password, and a scope. Main account = entire user home; Domain = that site's public_html only. Create submits.



Add FTP account

All accounts lists every login with the prefix youruser_. On the capture: 1 account — a main-account login, home under the user homes path, status active.



FTP · All accounts

Notifications

Notifications on this account: 1 total · 1 unread, with Dismiss all. The card is What's new — csWebPanel v0.4.0 (2026-08-13). It describes native backups inside the panel and states that the reseller role is retired.

The screenshot displays the csWebPanel v0.4.0 user interface. On the left is a dark sidebar with a menu containing: Dashboard, Web, Mail, DNS, Databases, File Manager, FTP, Notifications (highlighted), and Backups. The main content area has a blue header with the text "View [redacted] you can manage this account's resources." and a "Return to [redacted]" button. Below the header is a row of action buttons: "Renew SSL", "Webmail", a settings gear icon, a globe icon, and a bell icon with a red badge showing "1". The "Notifications" section is open, showing "1 total · 1 unread" and a "Dismiss all" button. A notification card titled "What's new — csWebPanel v0.4.0" is displayed, dated "2026-08-13 05:56:00". The card lists new features under "### Added" and changes under "### Changed". A "Dismiss" button is in the top right of the card. At the bottom of the main area, it says "Copyright © 2026 CodeSharper | Solutions".

csWebPanel v0.4.0

Dashboard

Web

Mail

DNS

Databases

File Manager

FTP

Notifications

Backups

View [redacted] you can manage this account's resources.

Return to [redacted]

Renew SSL

Webmail

Settings

Globe

1

Notifications

1 total · 1 unread

Dismiss all

What's new — csWebPanel v0.4.0

2026-08-13 05:56:00

0.4.0 — 2026-08-13

Added

- **Native backups** inside the panel (same port, panel licence only — no [redacted] login or licence)
- FastCDC chunking, compress-then-encrypt, per-account dedup, local / S3 / SFTP / WebDAV destinations
- Server [redacted] may back up any path, including the whole server, to local disk or remote storage
- Each user configures an independent remote destination and their own sources (jailed to their home)
- Backup tabs match [redacted] Dashboard, Storage, Source, Backup, Restore, Settings
- Scheduled backups (`csp-backup-run-due`) and per-account encryption password

Changed


- Reseller role retired — existing reseller accounts become regular users
- Users menu and account roles are [redacted] / user only

Dismiss

Copyright © 2026 CodeSharper | Solutions

Notifications

The header bell (badge 1) opens the same notice as a popover over the dashboard, with View all to jump to the Notifications page.




Notifications · header bell

Backups


Your backup tabs match the admin module: Dashboard, Storage, Source, Backup, Restore. Destinations and sources you add are yours and are jailed to your home. On this capture nothing is configured yet.

The Source tab (also stored as the backups landing shot) shows an empty table — no sources.




Backups · Source

Same empty Source table, captured again:




Backups · Source

Add source: a name (placeholder Documents), a storage target, and a browser limited to this account's places (Home / web / mail / Temp on the capture). No files or folders selected until you add some. You need a storage destination first.



Backups · Add source

Storage is empty: No storage yet. Add a destination, then attach sources.



Backups · Storage

Backup tab: run a backup once a source exists. On the capture the activity table is empty and Schedule says No schedules yet. Use Add schedule to create one.

csWebPanel v0.4.0

View [redacted] you can manage this account's resources.

[Return to admin](#)

[Renew SSL](#) [Webmail](#) [Settings](#) [Logout](#) [1](#) [Profile](#)

Dashboard Storage Source **Backup** Restore

Backup

Source

[Run backup](#)

KIND / SOURCE	STATUS	PROGRESS	DETAIL	WHEN
Empty				

Schedule

[Add schedule](#)


A source can have several schedules (for example hourly and weekly). Each runs independently when enabled.

KIND	SCHEDULE	ENABLED
No schedules yet. Use Add schedule to create one.		

Copyright © 2026 CodeSharper | Solutions

Backups · Backup

Restore says No sources yet — create one under Source. Restore points load when you pick a source. Existing files are replaced only if content differs.



Backups · Restore

Profile and account menu

Profile has three cards. Account: username (fixed), names, email (used for 2FA email codes and notices, including backups), timezone Europe/Lisbon, optional new password (2FA code required). Save profile writes that card. The note on this internal account: it cannot sign in; open it with Access as user. Changing the password does not affect admin Access as user.

Two-factor authentication shows current method Not enabled and Set up 2FA. Enable 2FA before you can change the password. Notifications: delivery Platform and email, with Security / Failure / Backup / Platform alert types — Save notifications writes that card.

The screenshot displays the csWebPanel interface. On the left is a dark sidebar with navigation links: Dashboard, Web, Mail, DNS, Databases, File Manager, FTP, Notifications, and Backups. The main content area has a blue header with the csWebPanel logo and version v0.4.0. Below the header, there's a 'View' button and a 'Return to' button. A top navigation bar contains 'Renew SSL', 'Webmail', and a notification bell with a red '1'. The 'Profile' section is titled 'Account, security, timezone and notifications'. It is divided into two main panels. The left panel, 'Account', includes fields for Username, First name, Last name, Email, Timezone (set to Europe/Lisbon), and New password. It also has a section for 'Your 2FA code (required to change password)' with an 'App code' field. The right panel, 'Two-factor authentication', shows 'Current method: Not enabled' and a 'Set up 2FA' button. Below these is a 'Notifications' section with a 'Delivery' dropdown set to 'Platform and email' and a list of alert types: Security alerts, Failure alerts, Backup alerts, and Platform alerts, all of which are checked. A 'Save notifications' button is at the bottom of this section. A 'Save profile' button is located at the bottom of the 'Account' panel. The footer of the main content area reads 'Copyright © 2026 CodeSharper | Solutions'.

csWebPanel v0.4.0

View [redacted] you can manage this account's resources.

Return to

Renew SSL Webmail [Settings] [Language] [Notifications 1]

Profile

Account, security, timezone and notifications

Account

Username

[redacted]

First name Last name

[redacted] [redacted]

Email

[redacted]

Used for 2FA email codes and account notices (including backups).

Timezone

Europe/Lisbon

Yours alone. New users inherit the [redacted] timezone (Europe/Lisbon).

New password

Leave blank to keep

Changing your password does not affect [redacted] "Access as user".

Your 2FA code (required to change password)

App code

Enable 2FA below before you can change your password.

Save profile

Two-factor authentication

Current method: **Not enabled**

Used at login and for sensitive actions (password change, delete storage/source).

Internal account — this user cannot sign in. Open it with Access as user.

Set up 2FA

Notifications

Delivery

Platform and email

Alert types (backup + platform)


- ☒ Security alerts
- ☒ Failure alerts
- ☒ Backup alerts
- ☒ Platform alerts

Save notifications

Copyright © 2026 CodeSharper | Solutions

Profile

The account menu (header name) contains only Profile and Sign out. Return to admin exists only while an administrator is impersonating you.



Account menu

Quick reference

These values are from a regular user session.

- Panel — the panel on port 8083 (never 2083)
- Webmail — the Webmail control in the header · IMAP 993 / SMTP 465 on mail.<your-domain>
- FTP — your FTP host / port 21 / prefix youruser_ · Plain FTP · scopes: main home, or a domain public_html
- Sites on this account — two domains (one SSL Yes, one SSL No, both PHP-8_5)
- Upload path — web/<domain>/public_html (not the /web place root)
- Empty today — mail accounts 0, databases 0, backup storage/sources empty
- Hidden — Packages, Users, Server, Firewall, Logs, Settings

End of the user guide. Administrators should also read the admin book before hosting sites on this panel — do not use the admin user as a site owner.